# JOURNAL OF PALEONTOLOGY
## INDEX TO VOLUME 20

### AUTHOR INDEX


| | | No. | Page |
|---|---|---|---|
| 1. | BEHRE, CHARLES H., Geology as a profession, by Ann R. Taylor (Review of) | 5 | 520 |
| 2. | BROWN, ROLAND W., Fossil egg capsules of chimaeroid fishes | 3 | 261 |
| 3. | CLIFTON, R. L., Middle Permian Cephalopoda from Texas and New Mexico | 6 | 556 |
| 4. | COOKE, C. WYTHE, Comanche echinoids | 3 | 193 |
| 5. | COOKE, C. WYTHE, *Velates vokesi*, new name for *Neritina? grandis* Cooke | 3 | 295 |
| 6. | COOPER, G. ARTHUR and KNIGHT, J. BROOKES, Permian studies at the Smithsonian Institution, Washington | 6 | 625 |
| 7. | CRESPIN, IRENE, Lower Cretaceous fauna in the northwest basin of western Australia | 5 | 505 |
| | CULLISON, JAMES S., see MILLER, A. K. (31); YOUNGQUIST, WALTER (74). | | |
| 8. | DETLING, MILDRED RIECHERS, Foraminifera of the Coos Bay lower Tertiary, Coos County, Oregon | 4 | 348 |
| 9. | DURHAM, J. WYATT, Upper Aptian nautiloids from Colombia | 5 | 428 |
| 10. | EASTON, WILLIAM H., *Cladochonus striatissimus* Easton, new name for *Cladochonus striatus* Easton, 1944 | 4 | 393 |
| 11. | FISCHER, ALFRED G., A carapace of the Ordovocian trilobite *Telephus* | 6 | 566 |
| 12. | FLOWER, ROUSSEAU H., *Alaskoceras* and the Plectoceratidae | 6 | 620 |
| 13. | FREDERICKSON, EDWARD A., A Cambrian ostracode from Oklahoma | 6 | 578 |
| 14. | FRITZ, MADELEINE A., A *Rhopalonaria* in the Dundas formation at Toronto | 1 | 87 |
| 15. | FRITZ, MADELEINE A., Permian (?) Bryozoa from Sustut Lake, British Columbia | 1 | 86 |
| 16. | FRIZELL, DON L., A study of two arcid pelecypod species from western South America | 1 | 38 |
| | FUGE, DINGLEY P., see Long, John A. (30). | | |
| 17. | GILMORE, CHARLES W., A new crocodilian from the Eocene of Utah | 1 | 62 |
| | HANNA, G. DALLAS, Notes on the geology and general paleontology of the Moreno shale (see LONG, JOHN A.) (30) | | |
| 18. | HASS, WILBERT H., and LINDBERG, MARIE L., Orientation of the crystal units of conodonts | 5 | 501 |
| 19. | HENBEST, LLOYD G., Deaderick collection of Foraminifera | 5 | 517 |
| 20. | HOWELL, B. F., An appeal | 3 | 296 |
| 21. | HOWELL, B. F., New names for homonym species of Cambrian Hyolithidae | 1 | 71 |
| 22. | JOHNSON, J. HARLAN, Mississippian algal limestone from the vicinity of St. Louis, Missouri | 2 | 166 |
| 23. | KIRK, EDWIN, *Corythocrinus*, a new inadunate crinoid genus from the lower Mississippian | 3 | 269 |
| 24. | KIRK, EDWIN, New species of *Dolatocrinus* from the Traverse (middle Devonian) of Michigan | 3 | 267 |
| 25. | KIRK, EDWIN, *Plemnocrinus*, a new crinoid genus from the lower Mississippian | 5 | 435 |
| 26. | KNIGHT, J. BROOKES, Reduction in prices of Zoological Commission publications | 4 | 392 |
| | KNIGHT, J. BROOKES, see COOPER, G. ARTHUR (6). | | |
| 27. | KOZLOWSKI, ROMAN, *Howellella* a new name for *Crispella* Kozlowski, 1929 | 3 | 295 |
| | LINDBERG, MARIE L., see HASS, WILBERT H. (18) | | |
| 28. | LOEBLICH, ALFRED R., JR., Foraminifera from the type Pepper shale of Texas | 2 | 130 |
| 29. | LOEBLICH, ALFRED R., JR., and TAPPAN, Helen, New Washita Foraminifera | 3 | 238 |
| 30. | LONG, JOHN A., FUGE, DINGLEY P., and SMITH, JAMES, Diatoms of the Moreno shale | 2 | 89 |
| 31. | MILLER, A. K., and CULLISON, JAMES S., Early Ordovician cephalopods with subterminal apertures | 2 | 158 |
| 32. | MILLER, A. K., and STURGEON, MYRON T., Allegheny fossil invertebrates from eastern Ohio | 4 | 384 |
| 33. | MILLER, A. K., and YOUNGQUIST, WALTER, A giant ammonite from the Cretaceous of Montana | 5 | 479 |
| 34. | NICOL, DAVID, Errata | 4 | 400 |
| 35. | OKULITCH, VLADIMIR J., Intervallum structure of *Cambrocyathus amourensis* | 3 | 275 |
| 36. | PALMER, KATHERINE VAN WINKLE, *Saltermya*, a new name for *Anthracomya* Salter 1861, not Rondani 1856 | 5 | 518 |
| 37. | RAPP, WILLIAM F., JR., Check list of the fossil fishes of New Jersey | 5 | 510 |
| 38. | RASETTI, FRANCO, Corrections to "New Upper Cambrian trilobites from the Levis conglomerate" | 1 | 88 |

| | No. | Page |
|---|---|---|
| 39. RASETTI, FRANCO, Early Upper Cambrian trilobites from western Gaspé | 5 | 442 |
| 40. RASETTI, FRANCO, Optimum conditions for the photography of fossils | 5 | 514 |
| 41. SINCLAIR, G. WINSTON, *Bancroftina*, a new brachiopod name | 3 | 395 |
| 42. SINCLAIR, G. WINSTON, Notes on the nomenclature of *Hyolithes* | 1 | 72 |
| SMITH, JAMES, see LONG, JOHN A. (30) | | |
| 43. STAINBROOK, MERRILL A., Corals of the Independence shale of Iowa | 5 | 401 |
| 44. STAINFORTH, ROBERT M., and STEVENSON, FRANK V., Three new Foraminifera from the Tertiary of Equador | 6 | 560 |
| 45. STEPHENSON, LLOYD W., *Fulpia*, a new upper Cretaceous bivalve mollusk from Texas and Maryland | 1 | 68 |
| 46. STEPHENSON, MORTON B., *Glyptobairdia*, a new genus of Ostracoda | 4 | 345 |
| 47. STEPHENSON, MORTON B., Porter's Creek Foraminifera of Illinois—corrections and comments | 4 | 391 |
| 48. STEPHENSON, MORTON B., Weches Eocene Ostracoda from Smithville, Texas | 4 | 297 |
| STEVENSON, FRANK V., see STAINFORTH, ROBERT M. (44) | | |
| 49. STONE, BENTON, *Siphogenerinoides* Cushman (order Foraminifera, family Buliminidae) | 5 | 463 |
| 50. STONE, BENTON, *Stichocassidulina*, a new genus of Foraminifera from northwestern Peru | 1 | 59 |
| 51. STOVALL, J. WILLIS, A Pleistocene *Ovis canadensis* from New Mexico | 3 | 259 |
| 52. STUCKEY, CHARLES W., JR., Some Textulariidae from the Gulf Coast Tertiary | 2 | 163 |
| 53. STURGEON, MYRON T., Allegheny fossil invertebrates from eastern Ohio | 1 | 8 |
| STURGEON, MYRON T., see MILLER, A. K. (32) | | |
| 54. SWAIN, FREDERICK M., Middle Mesozoic nonmarine Ostracoda from Brazil and New Mexico | 6 | 543 |
| 55. SWAIN, FREDERICK M., Ostracoda from the Tertiary of Florida | 4 | 374 |
| 56. SWAIN, FREDERICK M., Upper Jurassic Ostracoda from the Cotton Valley group in northern Louisiana | 2 | 119 |
| SWAIN, FREDERICK M., see SWARTZ, FRANK M. (57) | | |
| 57. SWARTZ, FRANK M., and SWAIN, FREDERICK M., Ostracoda from the upper Jurassic Cotton Valley group of Louisiana and Arkansas | 4 | 362 |
| TAPPAN, HELEN, see LOEBLICH, ALFRED R., Jr. (29) | | |
| 58. TEN DAM A., Arenaceous Foraminifera and Lagenidae from the Neocomian (lower Cretaceous) of the Netherlands | 6 | 570 |
| 59. TEN DAM, A., Publications on Foraminifera issued during the years 1940–1945 in the Netherlands | 2 | 184 |
| 60. THALMANN, HANS E., Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1944 | 2 | 172 |
| 61. THALMANN, HANS E., Bibliography of Foraminifera for the year 1945 (with supplements for the period 1936–1944) | 6 | 591 |
| 62. THOMPSON, M. L., Permian fusulinids from Afghanistan | 2 | 140 |
| 63. UMGROVE, J. H. F., Corals from a lower Pliocene patch reef in central Java | 6 | 521 |
| 64. VAUGHAN, T. WAYLAND, Peripheral apertures in *Miscellanea* | 3 | 296 |
| 65. WELLER, J. MARVIN, Foraminifera of the Cipero marl formation of Trinidad, British West Indies, by Joseph A. Cushman and R. M. Stainforth (Review of) | 4 | 394 |
| 66. WELLER, J. MARVIN, Geology of Florida, by C. Wythe Cooke (Review of) | 6 | 627 |
| 67. WELLER, J. MARVIN, A Résumé of the Paleozoic stratigraphy of Colorado, by J. Harlan Johnson (Review of) | 4 | 394 |
| 68. WELLS, JOHN W., Some Jurassic and Cretaceous corals from northern Mexico | 1 | 1 |
| 69. WILLIAMS, J. STEWART, *Hyolithes cooperi*, new name | 1 | 87 |
| 70. YEN, TENG-CHIEN, Eocene nonmarine gastropods from Hot Spring County, Wyoming | 5 | 495 |
| 71. YEN, TENG-CHIEN, Late Tertiary fresh-water mollusks from southeastern Idaho | 5 | 485 |
| 72. YEN, TENG-CHIEN, and REESIDE, JOHN B., JR., Fresh-water mollusks from the Morrison formation (Jurassic) of Sublette County, Wyoming | 1 | 52 |
| 73. YOUNGQUIST, WALTER, *Prionodus amanaensis* Youngquist, new name for *Prionodus? peculiaris* Youngquist | 4 | 394 |
| 74. YOUNGQUIST, WALTER, and CULLISON, JAMES S., The conodont fauna of the Ordovician Dutchtown formation of Missouri | 6 | 579 |
| YOUNGQUIST, WALTER, see MILLER, A. K. (33) | | |
| 75. Society records and activities: Paleontological Society: Annual meeting, pp. 400, 519; Nominations for officers for 1947, p. 287; Officers, correspondents, fellows, and members, p. 277. | | |
| Society of Economic Paleontologists and Mineralogists: Reports and minutes of the twentieth annual meeting, p. 395; List of members, p. 186. | | |

# SUBJECT INDEX

Afghanistan: Permian fusulinids (62).
Alaska: Oligocene egg capsules (2).
*Alaskoceras* (12).
Algae: Mississippian (22).
Allegheny: Ohio ammonoids (32), nautiloids (53).
Ammonoids: Ohio (32).
*Anthracomya* (36).
Aptian: Nautiloids, Colombia (9).
Arkansas: Jurassic Ostracoda (57).
Australia: Lower Cretaceous fauna (7).
*Bancroftina* (41).
Bibliography: Foraminifera (59, 60, 61); *Hyolithes* (42).
Brazil: Middle Mesozoic Ostracoda (54).
British Columbia: Permian(?) Bryozoa (15).
British West Indies: Foraminifera (Review) (65).
Bryozoa: Ordovician (Cincinnatian), Toronto (14); Permian (?), British Columbia (15).
California: Cretaceous diatoms (30).
Cambrian: Hyolithidae, homonyms (21); Ostracode, Oklahoma (13); pleosponges (35); trilobites (38, 39).
Canada: Bryozoan, Ordovician (14); Trilobites, Upper Cambrian (39).
Cenomanian: Pelecypoda, Maryland and Texas (45).
Cephalopoda: *Alaskoceras*, Plectoceratidae (12); Cretaceous, Colombia (9); Montana (33); Ordovician (31); Pennsylvanian, Ohio (32); Permian (Middle), New Mexico and Texas (3).
Check list: Fishes (fossil), New Jersey (37).
Cincinnatian: Toronto Bryozoa (14).
Colombia: Cretaceous nautiloids (9).
Colorado, stratigraphy of (Review) (67).
Comanche echinoids (4).
Conodonts: Devonian, new name (73); Ordovician (Dutchtown) (74); Structure (orientation of crystal units) (18).
Coos Bay: Tertiary Foraminifera (8).
Corals: Cretaceous, Mexico (68); Devonian, Iowa (43); Jurassic, Mexico (68); Mississippian, new names (10); Pliocene, Java (63).
Corrections: Trilobite type designations (38), Porter's Creek Foraminifera (47)
*Corythocrinus* (23).
Cotton Valley (upper Jurassic) Ostracoda: Louisiana (56); Louisiana and Arkansas (57).
Cretaceous: Ammonites, Montana (33); Corals (68); Diatoms (30); Echinoids (4); Fishes (2); Foraminifera, Pepper shale (28), Washita (29); Nautiloids, Colombia (9). Cretaceous, Lower: Fauna, western Australia (7); Foraminifera, Netherlands (58). Cretaceous, Upper: Pelecypoda, Maryland and Texas (45).
Crinoids: Devonian, Michigan (24); Lower Mississippian (23), (25).
*Crispella* (27).
Crocodilian: Eocene, Utah (17).
Crystals: Orientation of, in conodonts (18).
Cuba: Recent Ostracoda (46).
Deaderick Collection, Foraminifera (19).
Devonian: Conodonts, new names (73); Independence shale, Iowa (43).
Diatoms: Moreno shale Cretaceous (30).
*Dolatocrinus* (24).
Dutchtown: Conodonts, Missouri (74).
East Indies (63)
Echinoids: Cretaceous (Comanche) (4).
Ecuador: Tertiary Foraminifera (14).
Egg capsules, Fish (2).
Eocene: Crocodilian, Utah (17); Foraminifera, Peru (50); Foraminifera, Porter's Creek (47); gastropods (nonmarine), Wyoming (70); Ostracoda, Texas (48).
Errata: Glycimeridae (34).
Faunas: Lower Cretaceous, western Australia (7).
Florida; Geology of (Review) (66); Ostracoda, Tertiary (55).
Fishes: Chimaeroid, egg capsules of (2); fossil, of New Jersey (37).
Foraminifera: Arenaceous, Lower Cretaceous Netherlands (58); Bibliography (59, 60, 61); Cretaceous (29); Deaderick collection (19); Pepper shale, Texas (28); Permian, Afghanistan (62); Peru, Eocene (50); Porter's Creek, Illinois; *Siphogenerinoides* (49); *Structure of* (64); Tertiary, Ecuador (44); Tertiary, Oregon (8); Textulariidae, Gulf Coast (52); Trinidad (Review of) (65).
*Fulpia* (45).

Fusulinids (62).
Gastropods: Eocene, Wyoming (70).
Geology as a profession (Review of) (1).
Germany: Jurassic fish egg capsules (2).
Glycimeridae (34).
*Glyptobairdia* (46).
Gulf Coast: Tertiary Foraminifera (52).
Homonyms: Hyolithidae (21).
*Howellella* (27).
*Hutsonia* (56).
*Hyolithes* (69); nomenclature, (42).
Idaho: Tertiary, fresh water mollusks (71).
Illinois: Eocene (Porter's Creek) Foraminifera (47).
Independence shale: Corals, Iowa (43).
Iowa: Devonian corals (43).
Java: Pliocene corals (63).
Jurassic: Corals (68); Fish (2); Mollusks (72); Ostracoda, Arkansas and Louisiana (57); Ostracoda, Louisiana (56).
Labrador: Cambrian pleosponges (35).
Lagenidae: Lower Cretaceous, Netherlands (58).
Levis conglomerate: Trilobite type corrections (38).
Louisiana: Ostracoda: Jurassic (57); Cotton Valley (Upper Jurassic) (56).
Maryland: Pelecypoda, upper Cretaceous (45).
Mexico: Corals, Jurassic and Cretaceous (68).
Mesozoic: Ostracoda, Brazil and New Mexico (54).
Michigan: Crinoids, Devonian (24).
Mississippi: Ostracoda, Oligocene (46).
Mississippian: Algal limestones (22); Corals, new names (10); Crinoids: *Corythocrinus* (23); *Plemnocrinus* (25).
Missouri: Mississippian algal limestones (22), Cephalopods, Ordovician (31); Conodonts, Ordovician (74).
Mollusca: Jurassic, Wyoming (72); Tertiary, Idaho (71).
Montana: Ammonites, Cretaceous (33).
Moreno shale: Diatoms, California Cretaceous (30).
Morrison: Fresh water mollusks, Wyoming (72).
Nautiloids: Cretaceous, Colombia (9), Pennsylvanian, Ohio (53).
Neocomian: Foraminifera, Netherlands (58).
Netherlands: Lower Cretaceous (Neocomian) Foraminifera (58).
New Jersey: Fossil fishes (37).
New Mexico: Cretaceous, fish egg capsules (2); Ostracoda, Middle Mesozoic (54); Cephalopoda, Middle Permian (3); Mammal, Pleistocene (51).
New names: Brachiopoda: *Anthracomya* (36); *Bancroftina* (41); *Crispella* (27); *Howellella* (27); *Saltermya* (36); Conodonts (73); Corals: *Cladochonus striatissimus* for *C. striatus* (10); Gastropoda: *Velates vokesi* for *Neritina grandis* (5); Pteropods: *Hyolithes cooperi* (69).
Nomenclature: *Hyolithes* (42).
Ohio: Pennsylvanian ammonoids (32); Pennsylvanian nautiloids (53).
Oklahoma: Cambrian ostracode (13); Cretaceous (Washita) Foraminifera (29).
Oligocene: Fishes (2).
Ordovician: Bryozoan (14); Cephalopods (31); Conodonts (74); Trilobita (11).
Oregon: Tertiary Foraminifera (8).
Ostracoda: Cambrian, Oklahoma (13); Eocene, Texas (48); Jurassic, *Hutsonia* (56), Louisiana (57); Mesozoic, Brazil and New Mexico (54); Recent, Cuba (46); Tertiary, Florida (55); Texas (46).
*Ovis canadensis* (51).
Paleozoic: Stratigraphy of Colorado, by J. Harlan Johnson (Review of) (67).
Pelecypoda: Cretaceous (Upper), Maryland and Texas (45); Recent, South America (16).
Pennsylvanian: Ohio ammonoids (32), nautiloids (53).
Pepper shale: Foraminifera (28).
Permian: Cephalopoda, Texas and New Mexico (3), Fusulinids (62); Studies, Smithsonian Institution (6).
Permian(?): Bryozoa, British Columbia (15).
Peru: Eocene Foraminifera (50).
Photography: Optimum conditions for, of fossils (40).
Plectoceratidae (12).
Pleistocene: Vertebrates (51).
*Plemnocrinus* (25).
Pleosponges; Cambrian (35).
Pliocene: Corals, Java (67).

Porter's Creek: Foraminifera, Illinois (47).
*Prionodus ? amanaensis* Youngquist (73).
"Pteropods": (42); New York Devonian (new name) (69).
Quebec (Gaspé): Trilobites, Upper Cambrian (39).
Recent: Pelecypods, South America (16); Ostracoda, Cuba (46).
*Rhopalonaria* (14).
Ste. Genevieve: Algae (22).
*Saltermya*, new name for *Anthracomya* (36).
*Siphogenerinoides* (49).
Smithsonian Institution, Permian studies (6).
Society records and activities: (75)
South America: Brazil (54); Colombia (9); Recent pelecypods (16).
Sponges: Cambrian (35).
*Stichocassidulina* (50).
Stratigraphy, Paleozoic, of Colorado (Review) (67).
Structure: Orientation of crystal units of conodonts (18).
Techniques and methods: (6), Photography of fossils (40).
*Telephus* (11).
Tertiary: Foraminifera: Ecuador (44); Gulf Coast (52); Illinois (47); Oregon (8). Mollusks, Idaho (71). Ostracoda, Florida (55). Wyoming (70).
Texas: Cretaceous Foraminifera (28, 29); Cretaceous (Upper) Pelecypoda (45); Permian (Middle) Cephalopoda; Tertiary Ostracoda (46).
Textulariidae (52).
Trilobites: Cambrian (Upper) (39); Ordovician (11); Type designations corrections (38).
United States: Cretaceous echinoids (4); Tertiary Foraminifera (52).
Utah: Eocene crocodilian (17).
Vertebrates: Fishes, New Jersey (37); Fish egg capsules (2); *Ovis canadensis* (51).
Vicksburg: Foraminifera (52).
Washita: Foraminifera (29).
Weches: Ostracoda (48).
Wyoming: Cretaceous fish egg capsules (2); Eocene gastropods (70); Jurassic fresh-water mollusks (72).
Zoological nomenclature: International Commission: Pages 291, 390, 392, and 519. Joint Committee on, page 288.